

How Deep Learning is Used to Help Mining Geologists

Al in production

mix

Agenda -

- Combient Mix

- LKAB

- Challenge


- Project







Project phases







Combient Mix





Combient Mix Fact sheet

Founded January 2019 by investments from Combient, SEB and SAS



Team: 35 Employees mostly Data Scientists, Engineers and Architects.



Mission: Enable companies capture value from data, AI and advanced analytics at scale





Our track record







Luossavaara-Kiirunavaara Aktiebolag





Ŝ



Fe

Started 1890 Underground mine

Iron ore























mix



Challenge


















8h vs. 24h Geologist Rest of mine






Utilize <u>image segmentation</u> to help the geologist







mix



Project





Project focus

ML-model

Data Gathering

Annotation

mix



ML-model





Classes

Background

Iron ore

Waste rock





Classes







Data



40 unique walls

JPG (RGB)

4032 x 3024





Data





Method

U-Net


with transfer learning

Pretrained VGG16 (ImageNet)

Weighted loss

Image augmentation


5 loss functions








Phase 2 - Example results








Phase 2 - Example results







Phase 2 - Example results



mix



Data gathering





Data Gathering



Used in the mine

U-Net on edge




Integrated with annotation tool





Data Gathering







Annotation tool





Annotation tool



Integrated with app




Used by geologists





Annotation tool



mix



Questions?